



# GLOBAL<sup>®</sup>

PROFESSIONAL SEATING

## INDUSTRY



# SIGMA

## ROLLER STOOLS

Different work situations require different sitting postures to ensure efficiency and the least possible strain on the body. Roller stools from Global Stole offer optimum sitting comfort and will stand hard wearing in demanding environments.

As standard, the roller stools can be adjusted to a low seating height, and they have very solid castors. They can be equipped with trays, toolboxes and different types of seats. If you choose a polyurethane seat for your roller stool, it is resistant to a number of fluids and chemicals and at the same time, it is easy to clean.

A couple of examples: The roller stool Sigma 480RS has a base of steel with a diameter of 480 mm with foot ring. A Sigma 400P has a base of shockproof plastic with a diameter of 400 mm. The casters are mounted directly into the base, which can be used for storage.

Please take a look around our different types of roller stools. We are ready to take your call and assist you in finding the right stool for you and your working situation.



### SIGMA 400P


- Item no.: 20 3 001 2 000
- Seating height: 38-51 cm
- *Alternative seating heights:* 32-39 · 47-66 cm
- 400 mm shockproof plastic base incl. 2 toolboxes
- 75 mm easy rolling castors, 2 with brakes

# SIGMA



## SIGMA 400RS

- Item no.: 10 3 0011 000
- Seating height: 38-51 cm
- *Alternative seating heights:* 32-39 · 47-66 cm
- 400 mm steel base with foot ring
- 75 mm easy rolling castors, 2 with brakes



## SIGMA 480RS

- Item no.: 11 1 0011 000 0
- Seating height: 55-81 cm
- *Alternative seating heights:* 47-66 · 38-51 · 32-39 cm
- 480 mm steel base with foot ring
- 75 mm easy rolling castors, 2 with brakes



## SIGMA 480RS

- Item no.: 11 1 001 2 000 0
- Seating height: 55-81 cm
- *Alternative seating heights:* 47-66 · 38-51 · 32-39 cm
- 480 mm steel base with foot ring and tray
- 75 mm easy rolling castors, 2 with brakes



## SIGMA 480RS

- Item no.: 11 3 0017 000 0
- Seating height: 38-51 cm
- *Alternative seating heights:* 32-39 · 47-66 cm
- 480 mm steel base with foot ring and tray
- 75 mm easy rolling twin castors, 2 with brakes

## SIGMA ACCESSORIES

### Backrest, adjustable



Oval plastic: 62 50 05

### Extra toolbox



Toolbox: 61 60 02

### Extra tray



Tray

### Seat alternatives



Kappa, plastic

Jupiter, moulded,  
painted plywood



# SIGMA



## SIGMA - OCTOPUS

- Item no.: 30 1 001 0 0 000
- Seating height: 55-81 cm
- *Alternative seating heights: 48-67 · 39-52 · 31-38 cm*
- 440 mm Octopus plastic base



## SIGMA - ALU50

- Item no.: 40 2 001 2 000
- Seating height: 48-67 cm
- *Alternative seating heights: 39-52 · 31-38 cm*
- 500 mm aluminium base
- 50 mm easy rolling castors

## SIGMA - TRUMPET

- Item no.: 42 1 001 0 000
- Seating height: 53-79 cm
- *Alternative seating heights: 46-65 · 37-50 · 29-36 cm*
- 400 mm Trumpet plastic base



## SIGMA ACCESSORIES

### Backrest, adjustable



Oval plastic: 62 50 05

### Castors/glides



|                               |          |
|-------------------------------|----------|
| 0 - 10 mm glides.....         | 61 64 00 |
| 2 - 50 mm easy rolling .....  | 62 24 03 |
| 3 - 50 mm friction brake..... | 62 24 04 |
| 4 - 50 mm load brake.....     | 62 24 07 |
| 5 - 50 mm unload brake .....  | 62 24 08 |
| 8 - 32 mm glides.....         | 62 24 12 |
| 9 - 65 mm easy rolling .....  | 62 24 01 |

# SIGMA



## SIGMA - STELLA

- Item no.: 70 1 001 000
- Seating height: 57-83 cm
- Alternative seating heights: 50-69 · 41-54 · 33-40 cm
- 560 mm Stella steel base



## SIGMA - OCTOPUS

- Item no.: 30 2 001 9 1 000
- Seating height: 54-73 cm
- Alternative seating heights: 45-58 · 37-44 cm
- 440 mm Octopus plastic base with base foot ring
- 65 mm easy rolling castors

## SIGMA - SPIDER

- Item no.: 71 2 001 000
- Seating height: 56-75 cm
- Alternative seating heights: 63-89 · 47-60 · 39-46 cm
- 430 mm Spider steel base



## SIGMA ACCESSORIES

### Seat alternatives



Kappa, plastic



Jupiter, moulded,  
painted plywood

### Foot rings



Foot ring, ø400 mm, black: 62 50 01  
Foot ring, ø400 mm, chrome: 62 50 75



Base foot ring, ø400 mm, black: 62 50 99  
Base foot ring, ø400 mm, chrome: 62 50 98

# ALFA

## ALFA SIT STAND

Large, moulded polyurethane seat with lumbar support.

Polyurethane foam provides high seating comfort and is practical, resistant to a number of fluids and chemicals and easy to clean.

Seat: W 36 x D 25 x H 16 cm

## ALFA - OCTOPUS

- Item no.: 30 1 003 0 0 000
- Seating height: 61-87 cm
- Alternative seating heights: 54-73 · 45-58 · 37-44 cm
- 440 mm Octopus plastic base



## ALFA - OCTOPUS

- Item no.: 30 2 003 9 1 000
- Seating height: 60-79 cm
- Alternative seating heights: 51-64 · 43-50 cm
- 440 mm Octopus plastic base with base foot ring
- 65 mm easy rolling castors



## ALFA - ALU50

- Item no.: 40 2 003 2 0 000
- Seating height: 54-73 cm
- Alternative seating heights: 45-58 · 37-44 cm
- 500 mm aluminium base
- 50 mm easy rolling castors



## ALFA - TRUMPET

- Item no.: 42 1 003 0 0 000
- Seating height: 59-85 cm
- Alternative seating heights: 52-71 · 43-56 · 35-42 cm
- 400 mm Trumpet plastic base

## GLOBAL EASY SEAT



The EASY SEAT mechanism allows the user, while seated on the sit stand, to adjust the seat angle infinitely between 12° forward and 5° backward.

## ALFA ACCESSORIES

### Castors/glides



- 0 - 10 mm glides..... 61 64 00
- 2 - 50 mm easy rolling ..... 62 24 03
- 3 - 50 mm friction brake..... 62 24 04
- 4 - 50 mm load brake..... 62 24 07
- 5 - 50 mm unload brake ..... 62 24 08
- 8 - 32 mm glides..... 62 24 12
- 9 - 65 mm easy rolling ..... 62 24 01

### Foot rings



- Foot ring, ø400 mm, black: 62 50 01
- Foot ring, ø400 mm, chrome: 62 50 75



- Base foot ring, ø400 mm, black: 62 50 99
- Base foot ring, ø400 mm, chrome: 62 50 98

# OMEGA

## OMEGA SIT STAND

Large moulded polyurethane seat with lumbar support.

Polyurethane offers high sitting comfort. It is practical, and it will stand hard wearing in demanding environments. Furthermore, polyurethane is resistant to a number of fluids and chemicals, and it is easy to clean.

Seat: W 36 x D 25 x H 9 cm

## OMEGA - OCTOPUS

- Item no.: 30 1 004 0 0 000
- Seating height: 61-87 cm
- Alternative seating heights: 54-73 · 45-58 · 37-44 cm
- 440 mm Octopus plastic base



## OMEGA - OCTOPUS

- Item no.: 30 2 004 9 1 000
- Seating height: 60-79 cm
- Alternative seating heights: 51-64 · 43-50 cm
- 440 mm Octopus plastic base with base foot ring
- 65 mm easy rolling castors



## OMEGA - TRUMPET

- Item no.: 42 1 004 0 0 000
- Seating height: 59-85 cm
- Alternative seating heights: 52-71 · 43-56 · 35-42 cm
- 400 mm Trumpet plastic base



## OMEGA - ALU50

- Item no.: 40 2 004 2 0 000
- Seating height: 54-73 cm
- Alternative seating heights: 45-58 · 37-44 cm
- 500 mm aluminium base
- 50 mm easy rolling castors

## OMEGA ACCESSORIES

### Castors/glides



|                                |          |
|--------------------------------|----------|
| 0 - 10 mm glides.....          | 61 64 00 |
| 2 - 50 mm easy rolling .....   | 62 24 03 |
| 3 - 50 mm friction brake ..... | 62 24 04 |
| 4 - 50 mm load brake.....      | 62 24 07 |
| 5 - 50 mm unload brake .....   | 62 24 08 |
| 8 - 32 mm glides.....          | 62 24 12 |
| 9 - 65 mm easy rolling .....   | 62 24 01 |

### Foot rings



Foot ring, ø400 mm, black: 62 50 01  
Foot ring, ø400 mm, chrome: 62 50 75



Base foot ring, ø400 mm, black: 62 50 99  
Base foot ring, ø400 mm, chrome: 62 50 98

**GLOBAL**  
**EASY SEAT**



The EASY SEAT mechanism allows the user, while seated on the sit stand, to adjust the seat angle infinitely between 12° forward and 5° backward.



# VENUS

## VENUS SIT STAND

Large moulded polyurethane seat with lumbar support.

Seat: W 36 x D 25 x H 16 cm



### Supersoft

Our new easy-to-clean polyurethane seat has a low hardness of only 15 shore.

## VENUS - OCTOPUS

- Item no.: 30 1 014 0 0 000
- Seating height: 61-87 cm
- Alternative seating heights: 54-73 · 45-58 · 37-44 cm
- 440 mm Octopus plastic base



## VENUS - OCTOPUS

- Item no.: 30 2 014 9 1 000
- Seating height: 60-79 cm
- Alternative seating heights: 51-64 · 43-50 cm
- 440 mm Octopus plastic base with base foot ring
- 65 mm easy rolling castors



## VENUS - ALU50

- Item no.: 40 2 014 2 000
- Seating height: 54-73 cm
- Alternative seating heights: 45-58 · 37-44 cm
- 500 mm aluminium base
- 50 mm easy rolling castors



## VENUS - TRUMPET

- Item no.: 42 1 014 0 000
- Seating height: 59-85 cm
- Alternative seating heights: 52-71 · 43-56 · 35-42 cm
- 400 mm Trumpet plastic base

## GLOBAL EASY SEAT



The EASY SEAT mechanism allows the user, while seated on the sit stand, to adjust the seat angle infinitely between 12° forward and 5° backward.

## VENUS ACCESSORIES

### Castors/glides



- |                                |          |
|--------------------------------|----------|
| 0 - 10 mm glides.....          | 61 64 00 |
| 2 - 50 mm easy rolling .....   | 62 24 03 |
| 3 - 50 mm friction brake ..... | 62 24 04 |
| 4 - 50 mm load brake.....      | 62 24 07 |
| 5 - 50 mm unload brake .....   | 62 24 08 |
| 8 - 32 mm glides.....          | 62 24 12 |
| 9 - 65 mm easy rolling .....   | 62 24 01 |

### Foot rings



- Foot ring, ø400 mm, black: 62 50 01  
Foot ring, ø400 mm, chrome: 62 50 75



- Base foot ring, ø400 mm, black: 62 50 99  
Base foot ring, ø400 mm, chrome: 62 50 98



# GAMMA

## GAMMA SADDLE STOOL

A comfortable, wide saddle. Hands-free stool letting your legs control the movements of the stool. At the same time giving you a relaxed sitting posture with a straight spine, which lets you sit much longer. Upholstered with cold foam and black leather.

Seat: W 36 x D 31 cm

## GAMMA - OCTOPUS

- Item no.: 30 2 330 0 0 000
- Seating height: 58-77 cm
- *Alternative seating heights:* 49-62 · 43-50 cm
- 440 mm Octopus plastic base



## GAMMA - OCTOPUS

- Item no.: 30 2 330 9 1 000
- Seating height: 61-80 cm
- *Alternative seating heights:* 54-67 · 48-55 cm
- 440 mm Octopus plastic base with base foot ring
- 65 mm easy rolling castors



## GAMMA - ALU50

- Item no.: 40 2 330 2 0 000
- Seating height: 58-77 cm
- *Alternative seating heights:* 65-91 · 49-62 cm
- 500 mm aluminium base
- 50 mm easy rolling castors



## GAMMA - TROMPET

- Item no.: 42 2 330 0 0 000
- Seating height: 54-73 cm
- *Alternative seating heights:* 45-58 · 39-46 cm
- 400 mm Trompet plastic base

## GLOBAL EASY SEAT



The EASY SEAT mechanism allows the user, while seated on the sit stand, to adjust the seat angle infinitely between 12° forward and 5° backward.

## GAMMA ACCESSORIES

### Castors/glides



- |                                |          |
|--------------------------------|----------|
| 0 - 10 mm glides.....          | 61 64 00 |
| 2 - 50 mm easy rolling .....   | 62 24 03 |
| 3 - 50 mm friction brake ..... | 62 24 04 |
| 4 - 50 mm load brake.....      | 62 24 07 |
| 5 - 50 mm unload brake .....   | 62 24 08 |
| 8 - 32 mm glides.....          | 62 24 12 |
| 9 - 65 mm easy rolling .....   | 62 24 01 |

### Foot rings



- Foot ring, ø400 mm, black: 62 50 01  
Foot ring, ø400 mm, chrome: 62 50 75



- Base foot ring, ø400 mm, black: 62 50 99  
Base foot ring, ø400 mm, chrome: 62 50 98

# DALTON

## DALTON PU SADDLE STOOL

The classic saddle. Hands-free stool letting your legs control the movements of the stool. At the same time giving you a relaxed sitting posture with a straight spine, which lets you sit much longer. Seat of moulded polyurethane foam.

Polyurethane offers high sitting comfort. It is practical, and it will stand hard wearing in demanding environments. Furthermore, polyurethane is resistant to a number of fluids and chemicals, and it is easy to clean.

Seat: W 44 x D 35 cm

Moulded polyurethane available in several colours.



## DALTON PU - OCTOPUS

- Item no.: 30 1 006 0 0 000
- Seating height: 65-91 cm
- Alternative seating heights: 58-77 · 49-62 · 41-48 cm
- 440 mm Octopus plastic base



## DALTON PU - OCTOPUS

- Item no.: 30 2 006 9 1 000
- Seating height: 64-83 cm
- Alternative seating heights: 55-68 · 47-54 cm
- 440 mm Octopus plastic base with base foot ring
- 65 mm easy rolling castors



## DALTON PU - TRUMPET

- Item no.: 42 1 006 0 0 000
- Seating height: 63-89 cm
- Alternative seating heights: 56-75 · 47-60 · 39-46 cm
- 400 mm Trumpet plastic base



## DALTON PU - ALU50

- Item no.: 40 2 006 2 0 000
- Seating height: 58-77 cm
- Alternative seating heights: 49-62 · 41-48 cm
- 500 mm aluminium base
- 50 mm easy rolling castors



Height adjustment: Simple (up-down)  
Also available with Easy Seat

## GLOBAL EASY SEAT

The EASY SEAT mechanism allows the user, while seated on the sit stand, to adjust the seat angle infinitely between 12° forward and 5° backward.



## DALTON ACCESSORIES

### Castors/glides



|                                |          |
|--------------------------------|----------|
| 0 - 10 mm glides.....          | 61 64 00 |
| 2 - 50 mm easy rolling .....   | 62 24 03 |
| 3 - 50 mm friction brake ..... | 62 24 04 |
| 4 - 50 mm load brake.....      | 62 24 07 |
| 5 - 50 mm unload brake .....   | 62 24 08 |
| 8 - 32 mm glides.....          | 62 24 12 |
| 9 - 65 mm easy rolling .....   | 62 24 01 |

### Foot rings



Foot ring, ø400 mm, black: 62 50 01  
Foot ring, ø400 mm, chrome: 62 50 75



Base foot ring, ø400 mm, black: 62 50 99  
Base foot ring, ø400 mm, chrome: 62 50 98

# SIT STAND CHAIR

## SIT STAND CHAIR

Available in either black powder-coated frame or stainless steel frame, with seat and backrest in either plastic or upholstered with fabric or imitation leather.

Foot rest available.

Seat: W 39 x D 26 cm

Backrest: W 27 x H 23 cm



### FIN - SWING

Item no.: 85B9144

Seating height: 66-81 cm

Seat: Black polyurethane

## SIT STAND CHAIR

Item no.: 75 1 81 0

Powder-coated, with upholstered seat and backrest



## SIT STAND CHAIR

Item no.: 75 1 02 0

Powder-coated, with plastic seat and backrest

## SIT STAND CHAIR

Item no.: 75 1 80 0

Powder-coated, with upholstered seat and backrest

## INOX SIT STAND CHAIR - STAINLESS STEEL

Item no.: 75 2 02 0

Seating height: 50-85 cm



# SOLID

## SOLID CHAIR

A practical and strong working chair with seat and backrest in moulded, shockproof plastic. Suited for welding jobs or in other extreme surroundings.

Seat: W 42 x D 42 cm

Backrest: W 31 x H 37 cm

## SOLID HIGH

- Item no.: 50 10 10 1
- With glides and foot ring
- Seating height: 64-90 cm
- Alternative seating heights: 56-75 · 47-60 · 41-48 cm
- 560 mm steel base

## SOLID LOW

- Item no.: 50 30 10 0
- With glides
- Seating height: 47-60 cm
- Alternative seating heights: 64-90 · 56-75 · 41-48 cm
- 560 mm steel base

## SOLID AND CLASSIC ACCESSORIES

### Bases



Plastic, ECON, ø600 mm



Aluminium, ø610 mm

### Castors/glides



- 0 - 25 mm glides..... 62 24 13
- 1 - 50 mm easy rolling..... 62 24 05
- 3 - 50 mm friction brake..... 62 24 04
- 4 - 50 mm load brake..... 62 24 07
- 5 - 50 mm unload brake..... 62 24 08
- 8 - 32 mm glides..... 62 24 12
- 9 - 65 mm easy rolling..... 62 24 01

# CLASSIC

## CLASSIC CHAIR

A practical and comfortable quality chair with seat and backrest made of moulded polyurethane foam. Polyurethane offers high sitting comfort. It is practical, and it will stand hard wearing in demanding environments. Furthermore, polyurethane is resistant to a number of fluids and chemicals, and it is easy to clean.

Seat: W 39 x D 39 cm

Backrest: W 37 x H 26 cm



## CLASSIC HIGH

- Item no.: 511 01 01
- With glides and foot ring
- Seating height: 64-90 cm
- Alternative seating heights: 56-75 · 47-60 · 41-48 cm
- 560 mm steel base



## CLASSIC LOW

- Item no.: 513 01 00
- With glides
- Seating height: 47-60 cm
- Alternative seating heights: 64-90 · 56-75 · 41-48 cm
- 560 mm steel base

## SOLID AND CLASSIC ACCESSORIES

### Armrest, universal set



62 50 90

### Foot ring



Foot ring, painted, ø480 mm: 62 50 02  
Foot ring, chrome, ø480 mm: 62 50 76

### Foot rest



Foot rest, painted  
62 50 04



**GLOBAL**  
**EUROMATIC**

Easy, infinite adjustment of seat and backrest with GLOBAL "Euromatic mechanism".

# COMFORT

## COMFORT CHAIR

A practical and comfortable quality chair with seat and backrest made of moulded polyurethane foam. Polyurethane offers high sitting comfort. It is practical, and it will stand hard wearing in demanding environments. Furthermore, polyurethane is resistant to a number of fluids and chemicals, and it is easy to clean.

Seat: W 42 x D 42 cm

Backrest: W 37 x H 31 cm



## COMFORT HIGH

- Item no.: 52 1 0 1 0 1
- With glides and foot ring
- Seating height: 64-90 cm
- *Alternative seating heights: 56-75 · 47-60 · 41-48 cm*
- 560 mm steel base



## COMFORT LOW

- Item no.: 52 3 0 1 0 0
- With glides
- Seating height: 47-60 cm
- *Alternative seating heights: 64-90 · 56-75 · 41-48 cm*
- 560 mm steel base

## COMFORT AND PRESTIGE ACCESSORIES

### Bases



Plastic, ECON, ø600 mm



Aluminium, ø610 mm

### Castors/glides



- 0 - 25 mm glides..... 62 24 13
- 1 - 50 mm easy rolling..... 62 24 05
- 3 - 50 mm friction brake..... 62 24 04
- 4 - 50 mm load brake..... 62 24 07
- 5 - 50 mm unload brake..... 62 24 08
- 8 - 32 mm glides..... 62 24 12
- 9 - 65 mm easy rolling..... 62 24 01



# PRESTIGE

## PRESTIGE CHAIR

A practical and comfortable quality chair with seat and backrest made of moulded polyurethane foam. Polyurethane offers high sitting comfort. It is practical, and it will stand hard wearing in demanding environments. Furthermore, polyurethane is resistant to a number of fluids and chemicals, and it is easy to clean.

Seat: W 42 x D 44 cm

Backrest: W 39 x H 37 cm

### PRESIGE HIGH

- Item no.: 53 1 0 1 0 1
- With glides and foot ring
- Seating height: 64-90 cm
- *Alternative seating heights: 56-75 · 47-60 · 41-48 cm*
- 560 mm steel base

### PRESTIGE LOW

- Item no.: 53 3 0 1 0 0
- With glides
- Seating height: 47-60 cm
- *Alternative seating heights: 64-90 · 56-75 · 41-48 cm*
- 560 mm steel base



## COMFORT AND PRESTIGE ACCESSORIES

### Armrest, universal set



62 50 90

### Foot ring



Foot ring, painted, ø480 mm: 62 50 02  
Foot ring, chrome, ø480 mm: 62 50 76

### Foot rest



Foot rest, painted  
62 50 04



**GLOBAL**  
**EUROMATIC**

Easy, infinite adjustment of seat and backrest with GLOBAL "Euromatic mechanism".

# PREMIUM

## PREMIUM CHAIR

A practical and comfortable quality chair with seat and backrest made of super-soft moulded polyurethane foam. Polyurethane offers high sitting comfort. It is practical, and it will stand hard wearing in demanding environments. Furthermore, polyurethane is resistant to a number of fluids and chemicals, and it is easy to clean.

Seat: W 43 x D 43 cm

Backrest: W 39 x H 30 cm



### Supersoft

Our new easy-to-clean super-soft seat made of integral foam has a low hardness of only 15 shore.



### PREMIUM LOW

- Item no.: 54 3 3 1 0 0
- With glides
- Seating height: 47-60 cm
- Alternative seating heights: 64-90 · 56-75 · 41-48 cm
- 560 mm steel base



### PREMIUM HIGH

- Item no.: 54 1 3 1 0 1
- With glides and foot ring
- Seating height: 64-90 cm
- Alternative seating heights: 56-75 · 47-60 · 41-48 cm
- 560 mm steel base

## PREMIUM AND AKTIV ACCESSORIES

### Bases



Plastic, ECON, ø600 mm



Aluminium, ø610 mm

### Castors/glides



- |                                |          |
|--------------------------------|----------|
| 0 - 25 mm glides.....          | 62 24 13 |
| 1 - 50 mm easy rolling .....   | 62 24 05 |
| 3 - 50 mm friction brake ..... | 62 24 04 |
| 4 - 50 mm load brake.....      | 62 24 07 |
| 5 - 50 mm unload brake .....   | 62 24 08 |
| 8 - 32 mm glides.....          | 62 24 12 |
| 9 - 65 mm easy rolling .....   | 62 24 01 |

# AKTIV

## AKTIV CHAIR, AMBLA

Practical and comfortable chair, with upholstered seat and backrest in synthetic leather. Soft and comfortable to sit on and very easy to clean.

Seat: W 44 x D 44 cm

Backrest: W 37 x H 33 cm

### AKTIV AMBLA HIGH

- Item no.: 60 1 070 1 0 1
- With glides and foot ring
- Seating height: 64-90 cm
- *Alternative seating heights: 56-75 · 47-60 · 41-48 cm*
- 560 mm steel base

### AKTIV AMBLA LOW

- Item no.: 60 3 070 1 0 0
- With glides
- Seating height: 46-59 cm
- *Alternative seating heights: 63-89 · 55-74 · 40-47 cm*
- 560 mm steel base



## PREMIUM AND AKTIV ACCESSORIES

### Armrest, universal set



62 50 90

### Foot ring



Foot ring, painted, ø480 mm: 62 50 02  
Foot ring, chrome, ø480 mm: 62 50 76

### Foot rest



Foot rest, painted  
62 50 04



**GLOBAL**  
**EUROMATIC**

Easy, infinite adjustment of seat and backrest with GLOBAL "Euromatic mechanism".



# AKTIV

## AKTIV CHAIR, FABRIC

Practical and comfortable chair, with upholstered seat and backrest in synthetic leather. Soft and comfortable to sit on and very easy to clean.

Seat: W 44 x D 44 cm

Backrest: W 37 x H 33 cm



### AKTIV LOW

- Item no.: 60 3 020 10 0
- With glides
- Seating height: 47-60 cm
- Alternative seating heights: 64-90 · 56-75 · 41-48 cm
- 560 mm steel base



### AKTIV HIGH

- Item no.: 60 1 021 10 1
- With glides and foot ring
- Seating height: 64-90 cm
- Alternative seating heights: 56-75 · 47-60 · 41-48 cm
- 560 mm steel base

## AKTIV AND DUO ACCESSORIES

### Bases



Plastic, ECON, ø600 mm



Aluminium, ø610 mm

### Castors/glides



- 0 - 25 mm glides..... 62 24 13
- 1 - 50 mm easy rolling..... 62 24 05
- 3 - 50 mm friction brake..... 62 24 04
- 4 - 50 mm load brake..... 62 24 07
- 5 - 50 mm unload brake..... 62 24 08
- 8 - 32 mm glides..... 62 24 12
- 9 - 65 mm easy rolling..... 62 24 01

# AKTIV

## AKTIV CHAIR, DUO

The Duo chair is practical and durable with two types of fabric, according to your choice. The seat and backrest upholstery with cold-foam ensures comfortable seating, and the Global EUROMATIC seat mechanism provides for easy, infinite adjustment of seat and backrest.

Seat: W 44 x D 44 cm

Backrest: W 37 x H 33 cm

### DUO HIGH

- Item no.: 59 1 04770 1 0 1
- With glides and foot ring
- Seating height: 64-90 cm
- Alternative seating heights: 56-75 · 47-60 · 41-48 cm
- 560 mm steel base



### DUO LOW

- Item no.: 59 3 04270 1 0 0
- With glides
- Seating height: 47-60 cm
- Alternative seating heights: 64-90 · 56-75 · 41-48 cm
- 560 mm steel base



## AKTIV AND DUO ACCESSORIES

### Armrest, universal set



62 50 90

### Foot ring



Foot ring, painted, ø480 mm: 62 50 02  
Foot ring, chrome, ø480 mm: 62 50 76

### Foot rest



Foot rest, painted  
62 50 04



**GLOBAL**  
**EUROMATIC**

Easy, infinite adjustment of seat and backrest with GLOBAL "Euromatic mechanism".

# ESD CHAIRS



## COMFORT ESD polyurethane-foam

- Item no.: 62 3 002 2 6 0
- Seating height: 52-65 cm
- Base, aluminium, ø610 mm
- Castors, easy rolling, ø50 mm, ESD

### High model with chrome foot ring/glides:

- Item no.: 62 1 002 2 7 2
- Seating height: 64-90 cm



## AKTIV ESD gray fabric

- Item no.: 62 3 025 2 6 0
- Seating height: 52-65 cm
- Base, aluminium, ø610 mm
- Castors, easy rolling, ø50 mm, ESD

### High model with chrome foot ring/glides:

- Item no.: 62 1 025 2 7 2
- Seating height: 64-90 cm



## ROLLER STOOL ESD with steel base and tray

- Item no.: 10 3 185 3 000
- Seating height: 38-51 cm
- Base, steel, with tray, ø400 mm
- Castors, easy rolling, 2 with brakes, ESD
- Upholstered with conducting ESD imitation leather

## AKTIV ESD black imitation leather

- Item no.: 62 1 085 2 7 2
- Seating height: 64-90 cm
- Base, aluminium, ø610 mm
- Foot ring, chrome, ø480 mm
- Glides, ESD

### Low model:

- Item no.: 62 3 085 2 6 0
- Seating height: 52-65 cm





# CLEANROOM+LAB

## CLEANROOM CHAIR

Class 3 according to DIN EN ISO 14644-1  
Class 1 according to U.S. Fed St. 209E

Upholstered with black ESD synthetic leather.

Seat: W 46 x D 44 cm  
Backrest height: 43 cm

### Permanent contact backrest

The movable backrest follows the upper body and adapts to the working posture supporting the spine in the different seating positions.  
The backrest can be locked in any position.  
All functions can be operated easily while sitting on the chair.

## CLEANROOM

Item no.: 85 9 1401 2 571

Seating height: 47-61 cm



## CLEANROOM

Item no.: 85 9 1411 2 571

Seating height: 62-87 cm



## LAB

Item no.: 85B9103-R

Also available in black,  
item no. 85B9103-S



## LAB CHAIR

Seating height adjustment between 450 and 650 mm.  
Height adjustable backrest with lumbar support.

- All materials are resistant to disinfectants
- Seat mechanism is encased in a soft-cover panel with integrated control panel
- No cracks or crevices in which microorganisms can become trapped
- Can easily be disinfected
- Comply with the requirements for use in biological laboratories in safety class S1, S2 and S3. Air Purity Classification 1 U.S. Fed. Standard 209E Class 3 and EN ISO 14644-1 - Din 68877

Seat: W 43 x D 41 cm

# MOBILE WORK

## MOBILE WORK TABLE

This work table can be used for a number of purposes, such as packing, mounting or sorting. A very flexible table, which is easily moved and adjusted.

The tilting top is made of powder-coated sheet metal and has a retaining lip to ensure items will not fall to the ground.

Also available in ESD model



### GLOBAL MINI

• Item no.: 80 14 01

- Table top: 500 x 350 mm
- Frame: ø560 mm
- Height adjustment range: 620 - 875 mm
- Table top tilting: 0° - 40°
- Lifting capacity: approx. 25 kg
- Maximum load capacity: 100 kg
- Castors: 5 pcs. 75 mm swivel, 2 with brake

• Custom-made sizes available





**GLOBAL MIDI** Item no.: 801403, table top: 800 x 600 mm  
**GLOBAL MAXI** Item no.: 801402, table top: 1150 x 750 mm

- Frame: 690 x 530 mm
- Height adjustment range: 730 - 980 mm
- Table top tilting: 0° - 30°
- Lifting capacity: approx. 50 kg
- Maximum load capacity: 125 kg
- Castors: 75 mm swivel with brake

• *Custom-made sizes available*



# WORK SHOP

## WORK SHOP

We offer a number of different solutions for mechanics working in places where access is difficult, or in demanding working postures requiring both mobility and access to tools.

## BACK SUPPORT AID

Item no.: 80 15 04

Offering a comfortable support for work in places which are difficult to access, such as under a dashboard. Upholstered with strong imitation leather. Height-adjustable from 340 to 520 mm.

## TYRE TROLLY

Item no.: 85SP010

Height, incl. castors: 130 mm  
Diameter: 650 mm  
Castors: 5 pcs. ø50mm  
Load capacity: 120 kg

# WORK SHOP

## PRESTIGE CREEPER

Item no.: 80 15 02

Especially good for work on larger machines or engines. The creeper seat and cushions are made of PU-foam. Infinite adjustment of the backrest from 5° to 75° by means of two gas springs. Adjustable neck rest.

Castors: 4 pcs swivel castors, 2 with brake.

Removable toolbox.

Dimensions: L 1040 x W 445 x H 220 mm.



## GLOBAL CREEPER

Item no.: 80 15 06

A practical creeper, adding comfort to the work under a car or similar place. Solid steel frame with 5 pcs swivel castors, making it easy for you to move. Cushions are made of PU-foam. Adjustable neck rest.

Dimensions: L 950 x W 400 x H 75 mm. Height by neck rest: 130 mm.



## LIMA CREEPER

Item no.: 80 15 01

A functional help for the work under a car or similar place. Solid steel frame with oil-resistant rubber cover with neck rest. 6 swivel castors.

Dimensions: L 990 x W 445 x H 100 mm

## ROUNABOUT


Item no.: 80 14 20

A stable steel frame construction with 5 swivel castors, 2 with brake.

6 pcs individually removable tool-boxes on each tray.

6 pcs trays as standard.

Dimensions: H 1150 x Ø 470 mm





# ECON



## SOLID ECON

A practical, simple and durable chair.  
Seat and backrest are made of moulded, shockproof plastic.  
Seat adjustment: 6° forward and 2° backward.  
Backrest adjustment: 12° forward and 11° backward.

## SOLID ECON HIGH with foot ring

- Item no.: 63 10 3 0 1
- Seating height: 54-80 cm
- ø600 mm plastic base



## NATURE ECON

A practical, simple and durable chair with seat and backrest made of moulded, painted plywood.  
Seat adjustment: 6° forward and 2° backward.  
Backrest adjustment: 12° forward and 11° backward.

## NATURE ECON LOW

- Item no.: 66 3 0 3 0 0
- Seating height: 37-50 cm
- ø600 mm plastic base

## ECON ACCESSORIES

### Castors/glides



- 1 - 50 mm easy rolling.....62 24 05
- 3 - 50 mm friction brake.....62 24 04
- 4 - 50 mm load brake.....62 24 07
- 5 - 50 mm unload brake.....62 24 08
- 8 - 32 mm glides.....62 24 12
- 9 - 65 mm easy rolling.....62 24 01




# FACTS+COLOURS

## Microfibre\*

Strong and easy-to-clean.

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100



## Fabric\*


Strong and durable, tightly woven fabric providing pleasant sitting comfort.



## Imitation leather\*

Imitation leather is soft and easy-to-clean.

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100




Other colours at additional price.

## 3D Runner\*

3-dimensional Runner has a very deep structure offering an exciting visual expression, giving the chair a special look of its own.

OEKO-TEX®  
CONFIDENCE IN TEXTILES  
STANDARD 100



\* Colours are indicative only

## EASY SEAT

- The seat angle is adjusted quickly and simply by means of a gas spring, while the user is seated on the chair.
- Infinite adjustment: Seat angle 12° forward and 5° backward.

GLOBAL  
EASY SEAT



## EUROMATIC

- Both seat and backrest angles are adjusted quickly and simply by means of two small gas springs, while the user is seated on the chair.
- Infinite adjustment of seat angle, 12° forward and 2° backward, and backrest, 16° forward and 6° backward.

GLOBAL  
EUROMATIC



Please note that all seating heights have a tolerance of +/- 2 cm

## DID YOU FIND WHAT YOU WERE LOOKING FOR?

See more about our products at [www.globalstole.dk](http://www.globalstole.dk)

## STANDARDS AND CERTIFICATES

Our products are manufactured in accordance with applicable norms and international standards.

Overall standard is EN 1335 (based on use for 8 hours a day by persons weighing up to 110 kg)

We are ISO 9001 and ISO 14001 certified.



**Global offers products to Institutions and Office + Careliner as well**



***Danish design when it is best***

**GLOBAL®**  
PROFESSIONEL SEATING

**Headquarters, Denmark**

Global Stole A/S | Hammervej 3-7 | DK-8860 Ulstrup | Tel.: +45 86 46 44 55 | [info@globalstole.dk](mailto:info@globalstole.dk) | [www.globalstole.dk](http://www.globalstole.dk)

**Sales office, Sweden**

Global Forsäljning AB | Stationsgatan | SE-68130 Kristinehamn | Tel.: +46 5501 6555 | [info@globalforsaljning.se](mailto:info@globalforsaljning.se) | [www.globalstole.se](http://www.globalstole.se)

**Sales office, France**

Global Stole A/S | DLV-France | Rue de l'église 6 | F-67170 Hohatzenheim | Tel.: +33 03 88 68 36 53 | [info@globalstole.fr](mailto:info@globalstole.fr) | [www.globalstole.fr](http://www.globalstole.fr)